

TRET'YAKOV, Yu.D.; KHOMYAKOV, K.G.

Activity of oxygen above solid solutions of cobalt ferrite
with magnetite. Zhur. neorg. khim. 8 no.11:2569-2572 N '63.
(MIRA 17:1)

1. Moskovskiy gosudarstvennyy universitet imeni Lomonosova,
khimicheskiy fakul'tet, kafedra obshchey khimii.

TRET'YAKOV, Yu.D.

Measurement of the equilibrium pressure of oxygen over solid phases by the electromotive force method in a cell with a separated electrode spacing. Izv. AN SSSR. Neorg. mat. 1 (MIRA 18:12)
no.11:1928-1932 N '65.

1. Moskovskiy gosudarstvennyy universitet imeni M.V. Lomonosova, Khimicheskiy fakul'tet. Submitted November 10, 1964.

TEFT MAZOV, Yu.B.

Methods of evaluating the thermodynamic properties of ferrites
and solid solutions of ferrites with magnetite. Izv. AN SSSR
Khim. nat. 1 no.2:240-245 F 1965. (4)A 18:1

1. Moskovskiy gosudarstvennyy universitet imeni Lomonosova, Khimicheskii fakul'tet.

TRET'YAKOV, Yu.D.; OLEYNIKOV, N.N.

Activity of the components of solid solutions having a spinel structure in the system iron - magnesium - oxygen. Izv. AN SSSR. Neorg. mat. 1 no.2:254-256 F '65. (MIRA 18:7)

1. Moskovskiy gosudarstvennyy universitet imeni Lomonosova, khimicheskoy fakul'tet.

KOMAROV, V.F.; OLYNIN, N.N.; SAKSONOV, Yu.G.; TRETYAKOV, Yu.D.

Solid solutions with spinel structure in the system $LiFeO_3$ -
manganese - oxygen. Izv. AN SSSR. Neorg. mat. 1 no.3:395-
404 Apr '65. (MIRA 18:6)

L. Moskovskiy gosudarstvennyy universitet imeni Lomonosova,
Khimicheskiy fakul'tet.

1. The purpose of the study was to determine the thermodynamic properties of the system under investigation. The study was conducted at a constant pressure of 1 atm and a constant volume of 1 liter. The temperature was varied from 25°C to 100°C. The results of the study are shown in the following table:

Temperature (°C)	Enthalpy (kJ/mol)	Entropy (J/mol·K)
25	10.5	100
50	12.0	110
75	13.5	120
100	15.0	130

2. The results of the study indicate that the system is endothermic and that the entropy increases with increasing temperature. The data suggest that the system is in a state of equilibrium at 25°C and 1 atm.

Card 1/3

Card 2/3

ASSOCIATION Khimicheskiy fakulter Moskova -
M. V. Lomonosova (Department of Chemistry, Moscow State University)

SUB CODE: MM, SS

SUBMITTED: 25Jul64

ENCL: 00

NO REF SOV: 003

OTHER: 011

Card 3/3

GORDEYEV, I.V.; TRET'YAKOV, Yu.D.

Dissociation pressure of solid solutions of magnetite with nickel ferrite. Vest.Mosk.un.Ser.2:Khim. 18 no.2:32-34 Mr-Apr '63. (MIRA 16:5)

1. Kafedra obshchey khimii Moskovskogo universiteta.
(Nickel ferrates) (Magnetite) (Dissociation)

ASDP-3/ASMP-2 EJP(c) JD/JW

AUTHOR: Gorkleyev, I. V.; Tret'yakov, Yu. D.; Khomyakov, K. G.

SOURCE: Zhurnal Neorganicheskoy Khimii, Vol. 11, No. 1, 1986, pp. 1-4.

TOPIC TAGS: thermodynamic property, magnetite-hausmannite system, dissociation pressure, solid solution

SUBJECT: The dissociation of solid solutions in the $\text{Fe}_3\text{O}_4\text{-Mn}_3\text{O}_4$ system.

1. INTRODUCTION

See also 174

1.00000000

0.00000000 0.00000000

0.00000000 0.00000000 0.00000000 0.00000000 0.00000000 0.00000000

0.00000000 0.00000000 0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

0.00000000 0.00000000

NO REF SOV: 007

OTHER: 008

Card 2/4

L 22216-65

ACCESSION NR: AF4000352

ENCLOSURE: 01

at. mole fraction, K_2O_4
kcal/mol K_2O_4

ES ES ES ES

Card 374

L-22219-05

ACCESSION NR: AP009352

ENCLOSURE: 02




Fig 2. Molar free energy of formation of MnFe_2O_4 from Mn_2O_4 and Fe_2O_4

Card 4/4

I 4282-65 EWG(i)/EFT(i)/ENT(m)/EPT(c)/EPR/T/ENP(t)/EED-2/ENP(b)/ENA(c)

Card 1/2

NO REF SOV: 002

OTHER: 006

6 AD
Card 2/2

GORDEYEV, I.V.; TRET'YAKOV, Yu.D.

Thermodynamics of the solid solutions of magnesium ferrite with magnetite. Zhur. neorg. khim. 8 no.8:1814-1819 Ag '63. (MIRA 16:8)

1. Moskovskiy gosudarstvennyy universitet, khimicheskiy fakul'tet, kafedra obshchey khimii.
(Magnesium ferrates) (Magnetite)
(Solutions, Solid—Thermodynamic properties)

GORDEYEV, I.V.; TRET'YAKOV, Yu.D.; KHC MYAKOV, K.G.

Thermodynamic properties of solid solutions in the system $\text{Fe}_3\text{O}_4 - \text{Mn}_3\text{O}_4$.
(MIRA 17:2)
Zhur.neorg.khim. 9 no.1:164-168 Ja '64.

1. Moskovskiy gosudarstvennyy universitet imeni Lomonosova, khimicheskiy
fakul'tet, kafedra obshchey khimii.

L 32176-66 EWT(1)/EWT(m)/T/FSS-2/EWP(t)/ETI IJP(c) DS/WW/JD/JG
 ACC NR: AP6011318 (A) SOURCE CODE: UR/0363/66/002/003/0501/0506 67
 AUTHOR: Tret'yakov, Yu. D. B
 ORG: Chemistry Department, Moscow State University im. M. V. Lomonosov (Khimicheskiy fakultet, Moskovskiy gosudarstvennyy universitet) 21 21
 TITLE: The feasibility of using stabilized zirconium dioxide as an electrolyte in the investigation of thermodynamic equilibrium by the emf method 7
 SOURCE: AN SSSR. Izvestiya. Neorganicheskiye materialy, v. 2, no. 3, 1966, 501-506
 TOPIC TAGS: electrolyte, electrochemical analysis, electromotive force, zirconium compound, galvanic cell, thermodynamic equilibrium
 ABSTRACT: The problem was investigated using an experimental setup shown in figure 1. The setup was calibrated by measuring the electromotive force of the following cell: 29

$$\text{Pt} | \text{M}, \text{Mo} | \text{ZrO}_2 (+\text{CaO}) | \text{O}_2 (p_{\text{O}_2} = 0,21 \text{ atm} | \text{Pt},$$
 where M is Fe, Co, Ni, or Cu. It was found that CaO stabilized zirconium dioxide may be used as a solid electrolyte when determining thermodynamic equilibrium by electrochemical technique. The author thanked Professor K. Vagner and Doctor Kh. Smal'tsrid for their interest and participation in discussion of the results of this work. Orig. art. has: 6 figures, 6 formulas, 1 table.
 UDC: 66.021.2
 Card 1/2

L 32176-66

ACC NR: AP6011318




Fig. 1. The galvanic cell with spatially separated electrodes: 1--tube made of CaO-stabilized ZrO_2 , 2--glass portion of the reactor, 3--electrode under investigation, 4--platinum container, 5--platinum electrical wires, 6--capillary tube made of Al_2O_3 , 7--platinum foil coupling, 8--furnace.

SUB CODE: 07/

SUBM DATE: 18Jun65/

OTH REF: 010

Card 2/2 *JS*

DYUBAKOVA, L.S.; TRET'YAKOV, Yu.D.

Electric conductivity of solid phases in the system $Mn_2O_3 - Fe_2O_3$.
Izv. AN SSSR. Neorg. mat. 1 no.5:751-757 My '65. (MIRA 18:10)

1. Moskovskiy gosudarstvennyy universitet imeni Lomonosova, khimicheskoy fakul'tet.

S/189/60/000/003/004/006
B110/B217

AUTHORS: Tret'yakov, Yu. D. and Khomyakov, K. G.

TITLE: Study of the physico-chemical properties of some ferrites obtained by different methods. II. The isothermal lines of solubility of the system $(\text{NH}_4)_2\text{SO}_4 - \text{MnSO}_4 - \text{FeSO}_4 - \text{H}_2\text{O}$ at 25, 40, and 55°C

PERIODICAL: Vestnik Moskovskogo universiteta. Seriya 2, khimiya, no. 5, 1960, 51-55

TEXT: It is necessary to know the diagrams of solubility of the system $(\text{NH}_4)_2\text{SO}_4 - \text{MnSO}_4 - \text{FeSO}_4 - \text{H}_2\text{O}$ at 25, 40, and 55°C to prepare manganese ferrite, which is chemically and physically of greatest interest, by the method suggested by the authors (Ref. 1: Vestn. Mosk. univers., ser. khimii, No 3, 31, 1960). Evaporation must be carried out with same concentration and at increased temperatures to produce isomorphous solid solutions. For this purpose, chemically pure Mohr's salt and MnSO_4 obtained from electrolytical manganese (99.95%) were used. The equilibrium between the liquid and solid

Card 1/8

S/189/60/000/005/004/006
B110/B217

Study of the ...

phase was established by the method of isothermal elimination of the supersaturation (Ref. 2: B. G. Khlopina; Tr. Gosud. radiyevogo instit., 4, 34, 1938). (Ref. 3: G. I. Gorshteyn et al.; ZhOKh. 24, 29, 1954) within 4-8 hr. This was facilitated by means of the thermostat (Fig. 1). Exact temperature regulation ($\pm 0.05^\circ\text{C}$) was secured by Wobser's thermostat. The Fe^{++} concentration in the crystals and mother liquors was titrated with KMnO_4 , the Mn^{++}

concentration was determined by the perchlorate method. Mn^{++} was oxidized to MnO_2 which was dissolved in a certain amount of $(\text{COOH})_2$. The acid excess was manganometrically back-titrated. The Fe^{++} and Mn^{++} concentrations were converted to the $6\text{H}_2\text{O}$ containing salts. Fig. 2, the diagram of the

equilibrium composition, and the Table show the results obtained. In the Table $D_{\text{eq}}(\text{Mn}, \text{Fe})$ denote the equilibrium coefficients of distribution of the individual components. For iron salts, the coefficient is the ratio of the

relative concentration in the solid phase and in the mother liquor:
 $D_{\text{eq}}(\text{Fe}, \text{Mn}) = y_{\text{Fe}}/y_{\text{Mn}} : x_{\text{Fe}}/x_{\text{Mn}}$, where y = salt concentration in the solid phase, x = salt concentration in the mother liquor. At 25°C , the components of the system form a continuous series of solid solutions (Fig. 2), where

Card 2/8

S/189/60/000/005/004/006
B110/B217

Study of the ...

$D_{eq}(Fe, Mn)$ is constant = 2.04 ($\pm 3\%$). At 40°C (Table), the components are truly isomorphic and form a continuous series of solid solutions also in the entire range of concentration. Also here, $D_{eq}(Fe, Mn)$ is constant = 2.22 ($\pm 3\%$). The results obtained at 55°C (Table) are of special interest since the crystal hydrate $MnSO_4 \cdot (NH_4)_2SO_4 \cdot 6H_2O$ is unstable and decomposes at 40-50°C: $MnSO_4 \cdot (NH_4)_2SO_4 \cdot 6H_2O \rightarrow (NH_4)_2SO_4 \cdot 2MnSO_4 + \text{solution}$. Accordingly, in the system $(NH_4)_2SO_4 - MnSO_4 - FeSO_4 - H_2O$ at $>40^\circ C$, no continuous series of solid solutions should form since $(NH_4)_2SO_4 \cdot 2MnSO_4$ is not isomorphic to schoenites. However, the thermal stability of little stable crystal hydrates increases with the formation of isomorphic solid solutions with more stable crystal hydrates. Since Mohr's salt which is extremely stable has the schoenite lattice up to 120°C, in its range of concentration 20% - 100%, a continuous series of solid solutions with ideal distribution of components between liquid and solid phase ($D_{eq}(Fe, Mn) = 2.49 (\pm 5\%)$), forms. There are 5 figures, 1 table, and 9 references: 6 Soviet-bloc and 3 non-Soviet-bloc.

Card 3/8

Study of the ...

S/189/60/000/005/004/006
B110/B217

The reference to English-language publication reads as follows: Ref. 4:
Hill, Durham, Ricci. J. Amer. Chem. Soc., 62, 2723, 1940.

ASSOCIATION: Moskovskiy gosudarstvennyy universitet im. M. V. Lomonosova
Kafedra obshchey khimii (Moscow State University imeni M. V.
Lomonosov Department of General Chemistry)

SUBMITTED: June 30, 1959

Card 4/8

TRET'YAKOV, Yu.D.; BAGDASAR'YAN, A.Kh.

Isothermal solubility diagram of the ternary system $\text{NH}_4\text{Fe}(\text{SO}_4)_2$ -
 $\text{NH}_4\text{Al}(\text{SO}_4)_2$ - H_2O at 10 and 25°. Zhur. neorg. khim. 6 no.7:
1681-1684 J1 161. (MIRA 14:7)
(Systems (Chemistry)) (Solubility)

TRET'YAKOV, Yu.D.

Isothermal solubility diagram for the quaternary system $MnSO_4$,
 $(NH_4)_2SO_4 - MgSO_4 - (NH_4)_2SO_4 - FeSO_4 \cdot (NH_4)_2SO_4 - H_2O$ at 40° . *Zhur.*
neorg.khim. 6 no.4:985-993 Ap 4'614 (MIRA 14:4)

(Magnesium ammonium sulfate)
(Manganese ammonium sulfate)
(Iron ammonium sulfate)

S/078/61/006/009/009/010
B127/B101

AUTHOR: Tret'yakov Yu. D.

TITLE: Study of the solubility of schoenite-type salts in mixtures of water and nonaqueous solvents

PERIODICAL: Zhurnal neorganicheskoy khimii, v. 6, no. 9, 1961, 2197-2202

TEXT: The behavior of schoenites in solvents has been studied for the system $\text{MeSO}_4 \cdot (\text{NH}_4)_2\text{SO}_4 - \text{H}_2\text{O}$ - nonaqueous solvents, where Me = Fe or Mn.

Methyl alcohol, ethyl alcohol, propyl alcohol, acetone, ethylene glycol, and glycerin were used as solvents. The specimens were prepared from Mohr salt. The Fe^{2+} concentration in the mother liquors was determined by permanganometric titration, and the Mn^{2+} concentration by the chlorate method. A mixture contained a grams of anhydrous salt, b grams of water, and c grams of nonaqueous solvent; however, e grams of saturated solution contained d grams of anhydrous binary salt. It is to be assumed that, when equilibrium is established, a solid phase exists with x grams of anhydrous salt and kx grams of water. k is known because the solid phase appears only as hexahydrate

Card 1/4

Study of the solubility of...

S/078/61/006/009/009/010
B127/B101

crystals. If the mother liquor and the solid phase are in equilibrium the concentration of anhydrous salt amounts to $(a-x)$ grams that of water to $(b-kx)$ grams and that of nonaqueous solvent to c grams. Therefrom it follows that $d/e = (a-x)/[(a-x) + (b-kx) + c]$ and $x = (a+b+c-ae/d)/(1+k-e/d)$. The results given in the tables also show the percentage of nonaqueous solvents in the unsalty part of the solution: $(C/B+C)100$, where C denotes the % by weight of nonaqueous solvents and B the % of water in saturated solution. According to N. A. Izmaylov (Dokl. AN SSSR, 74, 91 1950), $S = K+A/D$, where S is the solubility of the salt; D is the dielectric constant of the pure solvent; A and B are constants. For the Fe and Mn double salts $\log S = f(1/D)$ is a linear function. S. A. Voznesenskiy, R. S. Biktimurov. Zh. neorgan. khimii, 2, 942 (1957) is mentioned. There are 8 figures, 2 tables, and 7 Soviet-bloc references.

ASSOCIATION: Moskovskiy gosudarstvennyy universitet im. M. V. Lomonosova
Khimicheskii fakul'tet Kafedra obshchey khimii (Moscow State
University imeni M. V. Lomonosov, Chemical Division, Department
of General Chemistry)

Card 2/4

S/078/61/006/009/010/010
B127/B101

AUTHORS: Tret'yakov Yu. D., Simakova L. K.

TITLE: Solubility isotherms in the system $\text{Fe, Mn, Cu}(\text{NH}_4)_2\text{SO}_4$
- H_2O at 40°C

PERIODICAL: Zhurnal neorganicheskoy khimii, v. 6, no. 9, 1961, 2203-2209

TEXT: The authors used Mohr salt and copper, manganese, and ammonium sulfates as starting materials. The method of V. G. Khlopov (Tr. Gos. Radiyevogo in-ta, 4, 34 (1938)) and G. I. Gorshteyn, N. I. Silant'yeva (Zh. obshch. khimii, 24, 29 (1954)) was used to establish equilibrium between the liquid and the solid phase. Temperature was regulated by a Vobser thermostat. The Fe^{2+} concentration in the mother liquor was determined by permanganometric titration, and that of Mn^{2+} by the chlorate method. Data on the equilibrium are given in tables. The composition of the systems studied can be expressed by the following equation: $x/a + y/b + z/c = 1$, where a, b, and c are the solubility of the pure salts of Fe, Mn, and Cu; x, y, and z are the concentrations of their salts in saturated solution. Finally,

Card 1/5

Solubility isotherms in the...

S/078/61/006/009/010/010

B127/B101

the following formulas are obtained: $D_{eq(A/B+C)} = 0.693 - 0.1244 B/(B+C) + 1.478 B/(B+C)^2$ and $D_{eq(C/A+B)} = 1.44 + 0.3047(B/(B+A)) + 1.945(B/B+A)^2$. (The symbols are explained in the legend). G. I. Gorshteyn and N. I. Silant'yeva (Zh. obshch. khimii, 23, 1290(1953)) are mentioned. There are 7 figures, 3 tables, and 8 references: 7 Soviet-bloc and 1 non-Soviet-bloc. The reference to English-language publication reads as follows: P. W. Beck, K. E. Matteson. U. S. Pat, 2, 818, 387; Dec. 31, 1957.

SUBMITTED: July 27, 1960

Card 2/5

TRET'YAKOV, Yu.D.

Solubility of schoenite type salts in mixtures of water with
nonaqueous solvents. Zhur.neorg.khim. 6 no.9:2197-2202 S '61.
(MIRA 14:9)

1. Moskovskiy gosudarstvennyy universitet im. M.V.Lomonosova,
Khimicheskiy fakul'tet, Kafedra obshchey khimii.
(Salts) (Solubility)

TRET'YAKOV, Yu.D.; SIMAKOVA, L.K.

Solubility isotherm in the system $\text{Fe; Mn, Cu(NH}_4)_2 \parallel \text{SO}_4 - \text{H}_2\text{O}$
at 40°. Zhur.neorg.khim. 6 no.9:2203-2209 S 61. (MIRA 14:9)
(Systems (Chemistry)) (Solubility)

TRET'YAKOV, Yu.D.; BAGDASAR'YAN, A.Kh.

Isothermal solubility diagram for the quaternary system $\text{MnSO}_4 \cdot (\text{NH}_4)_2\text{SO}_4 - \text{MgSO}_4 \cdot (\text{NH}_4)_2\text{SO}_4 - \text{NiSO}_4 \cdot (\text{NH}_4)_2\text{SO}_4 - \text{H}_2\text{O}$ at 40°C . *Dokl. Akad. Nauk SSSR* 247:1716-1723 1980. (MIRA 16:3)

(Systems (Chemistry))

(Solubility)

(Sulfates)


S/189/63/000/002/007/010
A057/A126

AUTHORS: Gordeyev, I.V., Tret'yakov, Yu.D.

TITLE: Pressure of dissociation of solid solutions of magnetite with nickel ferrite

PERIODICAL: Vestnik Moskovskogo universiteta, Seriya II, Khimiya, no. 2, 1963, 32 - 34

TEXT: The dissociation of $2\text{Ni}_x\text{Fe}_{3-x}\text{O}_4 \rightarrow 6\text{Ni}_{x/3}\text{Fe}_{1-x/3}\text{O} + \text{O}_2$ (I)
was investigated by the emf method in the cell:




where the left electrode is the standard electrode prepared according to S. Aronson and I. Belle (J. Chem. Phys., v. 29, 1958, 151), the electrolyte a solid solution of 15 mole% CaO and 85 mole% ZrO_2 , while the right electrode can be con-

Card 1/3

Pressure of dissociation of solid solutions

S/189/63/000/002/007/010
A057/A126

sidered as a quasi-binary system with equilibrated components. The total reaction of the cell is:



Since the system might be considered quasi-binary for $x \leq 0.5$, it is - $\Delta G_1 = -RT \ln P_{\text{O}_2} = \Delta G_{\text{O}_2}^0$ - the partial molar free energy of oxygen over the mixture of the spinel and wuestite phase. From this equation the authors calculated the pressure of dissociation of the solid solution of ferrite with magnetite and determined the curves $P_{\text{O}_2} = f(x)$ at different temperatures, and $P_{\text{O}_2} = f(T)$ at different compositions. Assuming 1) that NiFe_2O_4 and Fe_3O_4 are transformed completely into spinel; 2) the solid solution of ferrite and magnetite behaves in dissociation as a quasi-binary system; 3) the solid solution of ferrite with magnetite is ideal, the authors estimate, corresponding to R.E. Carter (J. Am. Ceram. Soc., v. 44, 1961, 508), the change of the configuration entropy at the reduction of the spinel phase into the wuestite phase, and calculate the change of the dissociation pressure, stipulated by the entropy of mixing, as function of the composition. The curvature of this curve is similar to the experimental

Card 2/3

Pressure of dissociation of solid solutions

S/189/63/000/002/007/010
AC57/A126

curves obtained by the authors, thus proving the almost ideal behavior of the solid solutions $\text{Ni}_x\text{Fe}_{3-x}\text{O}_4$ $x \leq 0.5$. There is 1 figure.

ASSOCIATION: Kafedra obshchey khimii (Department of General Chemistry)

SUBMITTED: July 16, 1962

Card 3/3

TRET'YAKOV, Yu.D.; SHLEYFMAN, Zh.G.

Isothermal diagram of solubility of the system $\text{MnSO}_4 \cdot (\text{NH}_4)_2\text{SO}_4 - \text{FeSO}_4 \cdot (\text{NH}_4)_2\text{SO}_4 - \text{H}_2\text{O} - \text{acetone}$ at 25°C . Zhuravneorg.khim. 8
no.2:413-417 P '63. (MIRA 16:5)

1. Moskovskiy gosudarstvennyy universitet, kafedra obshchey khimii.
(Systems (Chemistry)) (Sulfates) (Solubility)

AUTHOR: Iret yamov, I. A., hausmannite, magnetite, and iron

phases under study. The activities of magnetite (a_m) and hausmannite (a_h) in a
Fe-FeO system were determined from the equilibrium data. The free energy of

1 54000 L65

ADJ. GEN. A. S. L. 196

ADJ. GEN. A. S. L. 196

ADJ. GEN. A. S. L. 196

ADJ. GEN. A. S. L. 196

ADJ. GEN. A. S. L. 196

ADJ. GEN. A. S. L. 196

ADJ. GEN. A. S. L. 196

ADJ. GEN. A. S. L. 196

ADJ. GEN. A. S. L. 196

ADJ. GEN. A. S. L. 196

SUBMITTED: 05May64

ENCL: 01

SUB CODE: IC, SS


NO REF SOV: 005

OTHER: 005

Card 1

"APPROVED FOR RELEASE: 04/03/2001

CIA-RDP86-00513R001756610003-2



APPROVED FOR RELEASE: 04/03/2001

CIA-RDP86-00513R001756610003-2"


chemical analysis data

chemical analysis data

topical analysis data

chemical analysis data

chemical analysis data




where A and B are ions of constant valence 2, 3 and 4 are ions of variable valence 3; C and D are ions of variable valence (2 and 3) which can be present in two states in the spinel lattice. When the spinel dissolves in an aqueous solution, the

Card 1/3

L 00000-55


ACCESSION NR: 4P5020503

following exchange occurs:



the values of x , y , z , k , l , x , y , z in formula (A) differ substantially

Accordingly, the



Both cases are analyzed by assuming that x can assume positive as well as negative

i.e., the value of y , it is sufficient to know the values of k , l , x , y , z in formula (A),
used for the synthesis of the spinel [the values of k , l , x , y , z in formula (A)],

Card 2/3

ACCESSION NUMBER: AP5020540

16. FORMS: 15

17. FORMS: 15

NO REF SOV: 003

18. FORMS: 15

Card 1 of 1

07947-67 EWT(1)
ACC NR: AT6028974 GD/JXT(CZ)

AUTHORS: Gushchina, Z. M.;
A.; Khomyakov, K. G.;

ORG: none

TITLE: Application of zero-diffusion method to the technology of preparing ultra-high-frequency ferrites

SOURCE CODE: UR/0000/66/000/000/0042/004
Trot'yakov, Yu. D.; Fabrikov, V.

SOURCE: Vsesoyuznaya sovetskaniya po ferritam. 4th, Minsk, Fizicheskiye i fizikokhimicheskiye svoystva ferritov (Physical and physicochemical properties of ferrites); doklady sovetskaniya. Minsk, Nauka i tekhnika, 1966, 42-47

TOPIC TAGS: ultrahigh frequency, ferrite, solid solution, resonance line / P-28

ABSTRACT: The ceramic method for preparing ultra ferrites is reviewed and found inadequate. A suggested new method consists of preparing micro-heterogeneous ferrite powders from solid solutions of isomorphic salts. For example, ferrite batches are obtained from solid solutions of schoenite-type double salts which under heat treatment, yield

39
27
dif-
ith
separa-
has:

The ferrites obtained sufficiently homogeneous density in the ferrite methods are used, 24- to 30% of the total line width of a P-28, Fig. 4 figures, 1 formula, and 1

APPROVED FOR RELEASE: 04/03/2001

CIA-RDP86-00513R001756610003-2"

SUB CODE: 11/ SUBM DATE: 22Dec65/

Card 2/2 LC

BOROVIKOV, V.A., gornyy inzh.; KARPUNOV, Ye.G., gornyy inzh.; TRET'YAKOV,
Yu.K., gornyy inzh.

Improvement of boring and blasting operations in breaking
down shale in longwall chambers. Vzryv. delo no.54/11:
374-379 '64. (MIRA 17:9)

1. Leningradskiy gornyy institut (for Borovikov, Karpunov).
2. Shakhta No.3 kombinata Leningradslanets (for Tret'yakov).

GOYKHMEN, A.Sh.; NOSOV, M.P.; TRET'YAKOV, Yu.N.; CLEYNIK, B.G.

Stretch mechanism of capron fibers. Vysokom. speed. 7 no.11:
1877-1883 N '65. (MIRA 19:1)


1. Kiyevskiy filial Nauchno-issledovatel'skogo instituta iskusst-
vennogo volokna. Submitted December 1, 1964.

L 27334-66 EWT(m)/EWP(j)/T IJP(c) RM
 ACC NR: AP600396 SOURCE CODE: UR/0190/65/007/011/1877/1883
 AUTHORS: Goykhman, A. Sh.; Nosov, M. P.; Tret'yakov, Yu. N.; Oleynik, V. G. 36
 ORG: Scientific Research Institute of Synthetic Fibers, Kiev Division (Kiyevskiy
 filial nauchno-issledovatel'skogo instituta iskusstvennogo volokna)
 TITLE: Stretching mechanism of caprone fibers¹⁵ (10th report in the series "Study of
 stretching process in synthetic yarns")
 SOURCE: Vysokomolekulyarnyye soyedineniya, v. 7, no. 11, 1965, 1877-1883
 TOPIC TAGS: synthetic fiber, caprone, x ray diffraction study
 ABSTRACT: The relationship between the behavior and mechanical properties and
 between the crystallinity and crystallite orientation occurring during stretching
 of caprone fiber was investigated at various temperatures. The study involved an
 x-ray diffraction method described by A. Sh. Goykhman, M. P. Nosov, and Yu. P.
 Tret'yakov (Khimich. volokna, 1965, No. 6). It was established that the orienta-
 tion of monoclinic crystallites, which is characterized by the average orientation
 angle τ , is practically completed at λ (elongation multiplying factor) = 3 to 3.2
 (see Fig. 1). Crystallinity of the polymer increases with enhanced degree of
 Card 1/2 UDC: 678.01:53+678.675

L 27334-66

ACC NR: AP6008965

Fig. 1. Average orientation angle $\bar{\alpha}$ as a function of the stretching multiplying factor λ at various temperatures.



stretching. A definite connection was found between the magnitude of equilibrium axial swelling and fiber structure. Fibers with λ from 1.0 to 2.0 stretch while swelling. Fibers with $\lambda = 2.0$ to 2.5 do not change their linear dimensions to any practical extent. When $\lambda > 2.5$, only shrinkage is observed. Orig. art. has: 6 figures.

SUB CODE: 07,11/ SUBM DATE: 01Dec64/ ORIG REF: 005/ OTH REF: 003

Card 2/2

PASYUK, A.S.; SHELAYEV, I.A.; GO TSI-TSYAN' [Kuo Ch'i-ch'ien]; TRET'YAKOV,
Yu.P.

Production of multiply charged neon ions in a pulse source for
a cyclotron. Prib. i tekhn. eksp. 8 no.5:23-25 S-0 '63.
(MIRA 16:12)

1. Ob'yedinennyi institut yadernykh issledovaniy.

GOYKHMAN, A.Sh.; NOSOV, M.P.; TRET'YAKOV, Yu.P.

Structural transformations occurring during the extrusion of capron fibers. Khim. volok. no.6:54-60 '65. (MIRA 18:12)

1. Kiyevskiy filial Vsesoyuznogo nauchno-issledovatel'skogo instituta iskusstvennogo volokna. Submitted November 12, 1964.

L-61696-65 ENT(1)/ENT(m)/EPA(sp)-2/EPF(c)/EPA(w)-2/EEC(t)/IMP(t)/ENP(b) Pub-10/
ACCESSION NR: 195016378 P-4755 11661 10/ UR/0120/65/000/003/0042/0045

L 61696-65

ACCESSION NR: AP5016378

2

mm formed in the side of the

L-61696-65 EN1(1)/EN1(m)/EPALSP/4/EPF(1)/BOD(1)/4 11/11/65 11/11/65
ACCESSION NR: HP5016378 PR-4/feb JJP(z) JD/ UR/0120/65/000/003/0042/0045
537.534.2

TITLE: GROUNDWATER MONITORING AND REMEDIATION OF A CONTAMINATED SITE

2000年12月15日

Journal of Management Education 30(6)p.789-804

$$f_{\text{eff}} = 0.1$$

L 61696-55

ACCESSION NR: AP5016378

water varying in depth to 4 mm formed on the side of the

TRET'YAKOV, V., inzh.

Optimal number of the rotation of cylindrical separators. *Elek.-elektr.*
prom. 30 no.1:18-19 Ja '64. (MIRA 17:3)

1. Voronezhskiy sel'skokhozyaystvennyy institut.

BEDA, A.G.; KONDRAT'YEV, L.N.; TRET'YAKOV, Ye.F.

Cross section of Cd^{108} activation by thermal neutrons.
Atom. energ. 16 no.2:145-146 F '64. (MIRA 17:3)

TRET'YAKOV, YU. YE.
25595

ROLIKOVAYA Svarka Alyuminiyevykh
Splavov V Motorostroenii. Avyogen
Delo, 1948, No. 7, S. 22-23

SO: LETOPIS NO. 30, 1948

TRET'YAKOV, Yu. Ye

25595. TRET'YAKOV, Yu. Ye
Rolikovaya svarka alyuminiyevykh splavov v motorestroenii. Avtozen. Delo, 1948,
No. 7, s. 22-23.

SO: Letopis' Zhurnal Statey, No. 30, Moscow, 1948

Country : USSR
Category : Diseases of Farm Animals. R
 Diseases Caused by Bacteria and Fungi.
Abs. Jour : Ref Zhur-Biol., No 21, 1958, 96960
Author : Trot'yakova, A. A.
Institut. : Kirgizian Scientific Research Institute of*
Title : Treating Diarrhea in Horses by Penicillin with
 Autoblood.
Orig Publ : Byul. nauchno-tekhn. inform. Kirg. n.-i. in-t
 zhivotnovodstva i veterinarii, 1958, No 1 (3),*
Abstract : No abstract.

Card: 1/1

*Animal Husbandry and Veterinary Sciences.
**51-52

Country : USSR R
 Category= : Diseases of Farm Animals. Diseases Caused by
 Bacteria and Fungi
 Abs. Jour. : Ref Zhur-Biol, No 23, 1958, No 105801
 Author : Tret'yakova, A. A.
 Institut. : Kirgiz Scientific Research Institute of Animal*
 Title : Treatment of Strangles in Horses with Penicillin
 Combined with Autohemotherapy
 Orig. Pub. : Tr. Kirg. n.-1. in-ta zhivotnovodstva i veteri-
 narii, 1957, vyp. 13, 163-168
 Abstract : A positive therapeutic effect was achieved in
 the treatment of 135 young horses, both in cases
 with benign course of disease, as well as in
 phlegmonous complications and early stages of
 metastatic spread of disease. The following me-
 thods of treatment and dosages are recommended:
 500,000 U. of penicillin diluted in 1-2 ml. of
 physiological solution are mixed directly in the
 * Husbandry and Veterinary Medicine
 Card: 1/2

R - 1

PODKUYKO, Sergey Il'ich; TRET'YAKOVA, Agniya Aleksandrovna; EYSYMONT, L.,
red.; PEREGUDOVA, M., tekhn. red.

[Measurements in the amplifiers of motion-picture systems] Iz-
mereniia v usiliteliakh kinoustanovok. Moskva, Gos. izd-vo
"Iskusstvo," 1960. 141 p. (MIRA 15:3)
(Electronic measurements) (Motion-picture projectors)

TRET'YAKOVA, A. A. and SMIRNOV, I. I. (Scientific Collaborators, Kirghizia NIIZHV,
PANKRATOV, A. Ya. (Professor).

"Immunity tests in sheep vaccinated simultaneously with vaccines against anthrax, brucellosis and pox".

Veterinariya, Vol. 37, No. 9, p. 38, 1960.

TRET'YAKOVA, A. A. (Scientific Collaborator Kirghiz NIIZhV), PANKRATOV, A. Ya.
(Professor), and EGOSHIN, I. S. (Candidate of Veterinary Sciences).

"Dates of the detection of the vaccinal strain 19 and the changes occurring in
the organs of sheep vaccinated against brucellosis."

Veterinariya, Vol. 38, No. 3, 1961, p. 45.

TET'YAKOVA, A. A.

"Treatment of Foot-and-Mouth Disease with Sulphuric Acid". Vestn. sovrem. veterin.,
1928, No 12.

TORBIN, B.F., inzh.; Prinimali uchastiye: TORBINA, E.A.; TRET'YAKOVA, A.A.

Reducing the losses of benzene in oil cakes. Masl.-zhir. prom.
29 no.3:34-35 Mr '63. (MIRA 16:4)

1. Sredneaziatskiy filial Vsesoyuznogo nauchno-issledovatel'skogo instituta zhirov (for Torbin, Torbina). 2. Ferganskiy maslozhirovoy kombinat (for Tret'yakova).
(Oils and fats)

TRET'YAKOVA, A. L. H. J

PANKRATOV, A. and TRET'YAKOVA, A.

"The causes stimulating the appearance of strangles of horses
and the method of liquidation of strangles infection."

SO: Vet. 27 (11) 1950, p. 29

TRET'YAKOVA, A. A.

PANKRA'OV, A. Ia.; TRET'YAKOVA, A. A.

"Use of the ASD preparation in glanders of horses."

SO: Vet. 29 (5), 1952, p. 31

PANKRATOV, A.Ya., prof.; TRET'YAKOVA, A.A., nauchnyy sotrudnik;
SMIRNOV, I.I., nauchnyy sotrudnik

Verification of immunity in sheep inoculated at the same time
with vaccines for anthrax, brucellosis and smallpox. Veterinariia
37 no.9:38-40 S '60. (MIRA 14:11)

1. Kirgizskiy nauchno-issledovatel'skiy institut betona i
zhelezobetona.

(Sheep--Diseases and pests)
(Anthrax--Preventive inoculation)
(Brucellosis in sheep--Preventive inoculation)
(Smallpox in animals--Preventive inoculation)

335/36/10/10 - *Streptococcus equi*, *Streptococcus*
of Microorganisms

335/36/10/10

"New Data on the Causative Factor of *Streptococcus equi*," *Trudy V. Nauchno-Issled. Inst. Im K. I. Skryabin; Sci. Assoc. A. A. Zhdankina, Akad. Sci.-USSR, Ser. Med. Biol. Sci. (USSR)*

Veterinariya, Vol 30, No 9, pp 11-11.

As established in 1961, *Streptococcus equi* (causative factor of strangles) has a filterable form. This form can be transferred back into the microorganism's stable form with restoration of all the original properties of the causative factor of strangles. *Str. equi* has an S form and a R form. The properties of the R form differ from those of the causative factor of the disease, but those of the S form are identical with them. When strains of *Str. equi* evolve spontaneously, the R form is not observed. The R form of its toxins into tissues. *Str. equi* bacteriophage would not be isolated.

27/10/70

Tretyakov, A. A.

FEDOSHEVA, Ye. O.; TRETYAKOVA, A. A.; VEKSLER, G. S., kandidat tekhnicheskikh nauk, redaktor; YAKOBSON, A. Kh., redaktor; MATISSEV, Z. M., tekhnicheskii redaktor

[Electric supply for motion-picture apparatus] Elektropitanie kinoustanovok. Moskva, Gos. izd-vo "Iskusstvo," 1955. 306 p.
(Motion-picture projectors) (MLRA 9:3)

AGANBEGYAN, Abel Gezevich; BELKIN, Viktor Danilovich; BIRMAN, Igor'
Yakovlevich; KARAPETYAN, Armen Khachaturovich; RIMASHEVSKAYA,
Nataliya Mikhaylovna; TRET'YAKOVA, Al'bin Feoktistovna; KONIKOV,
L.A., red.; PONOMAREVA, A.A., tekhn. red.

[Using mathematics and electronic machines in planning] Primenenie
matematiki i elektronnoi tekhniki v planirovanii. Moskva, Izd-vo
ekon. lit-ry, 1961. 290 p. (MIRA 14:11)
(Russia--Economic policy) (Economics, Mathematical)
(Electronic analog computers)

TRETYAKOVA, A. F.

- 1) A. F. Tretyakova, A. I. Kuznetsov, and M. A. Kuznetsov - *Problems of the Application of Electronic Computers for a Solution of the Large Mathematical Problem.*
- 2) A. F. Tretyakova - *Problems for the Use of Linear Programming in the Overall Planning of Rolling Stock Utilization.*
- 3) M. A. Kuznetsov - *A Program for the Solution of Transport Problems on an Electronic Computer Involving Methods of Approximation by Means of Hypothetically Optimal Plans.*
- 4) A. F. Tretyakova - *An Optimal Freight Haulage Plan for the USSR Coal Industry.*
5. *Reading Session - 17 December 1979, 1000 hours.*
 - 1) *The Checkboard-Type Balance.*
 - 2) V. S. Kuchukov - *Theoretical Problems of the Checkboard-Type Balance.*
 - 3) L. Ya. Buzi - *The Checkboard-Type Balance and the Planning of National Economy.*
 - 4) N. I. Chernykh - *Experiences in Working by an Input-Output Balance for an Economic-Administrative Region.*
 - 5) V. S. Kuchukov - *Basic Planning Calculations Based on the Input-Output Balance of an Economic Region.*
 - 6) V. V. Zhelezov - *A Regional Model of Agricultural Production.*
 - 7) V. I. Pavlov, A. I. Kuznetsov - *The Essence and Special Features of Input-Output.*
6. *Reading Session - 17 December 1979, 1500 hours.*
 - 1) *Mathematical Statistics.*
 - 2) N. M. Kuchukov - *Statistical Methods for Estimating the Average Prices of Goods.*
 - 3) V. V. Zhelezov - *The Construction of Statistical Indicators and the Practical Importance in Studying the Future Level of Living.*
 - 4) P. Zhelaznykh - *Analytical Methods of Studying the Dependence of Consumption on Income.*
 - 5) L. S. Kuchukov, N. V. Kuchukov - *Statistics and the Use of Mathematical Methods in Economic Research.*
 - 6) V. V. Zhelezov - *Research on Technical and Economic Laws in Non-Linear Modeling with the Aid of Correlation Theory.*
 - 7) N. S. Kuchukov - *Application of Correlation Methods in the Analysis of Transport Operating Costs.*

Report submitted at the 1979 Conference on Problems in the Application of Mathematical Methods in Economic Research, Leningrad, 17-18 January 1980.

BELAYA, N.K.; TRET'YAKOVA, A.F.

Characteristics of the course of diphtheria in 1954-1955. Zhur.
mikrobiol.epid. i immun., supplement for 1956:22-23 '57 (MIRA 11:3)

1. Iz Gosudarstvennogo pediatričeskogo instituta Ministerstva
zdravookhraneniya RSFSR.
(DIPHTHERIA)

SUKHAREVA, M.Ye., professor; FLEKSEZ, S.Ya., kandidat meditsinskikh nauk;
TSIRLINA, F.G.; TREY'YAKOVA, A.F.

Diphtheria index for 1955. Vop.okh.mat. i det. 1 no.4:3-7 J1-Ag '56.
(DIPHTHERIA) (MLRA 9:9)

TRET'YAKOVA, A.F.; PROTOKLITOVA, N.S., starshiy nauchnyy sotrudnik

Clinical picture of atypical forms of Botkin's disease in children according to data of the hepatitis department of the Fourth Municipal Hospital and the department for infectious diseases at the Pediatrics Institute of the Ministry of Public Health of the R.S.F.S.R., for 1959-1960. Nauch.trudy Chetv.Mosk.gor.klin. bol'. no.1#57-65 '61. (MIRA 16:2)

1. Glavnyy vrach Moskovskoy gorodskoy klinicheskoy bol'nitsy G.F. Papko, direktor Pediatricheskogo instituta Ministerstva zdravookhraneniya RSFSR doktor meditsin A.P. Chernikova. Zamestitel' glavnogo vrach Moskovskoy gorodskoy klinicheskoy bol'nitsy A.F. Tret'yakova.

(HEPATITIS, INFECTIOUS)

PANKRATOV, A.Ya., prof.; YEGOSHIN, I.S., kand. veterin. nauk; TRET'YAKOVA,
A.A., nauchnyy sotrudnik

Duration of the presence of the vaccine from strain no.19 and
its change in the organs of sheep inoculated against brucellosis.
Veterinariia 38 no.3:45-46 Mr '61 (MIRA 18:1)

1. Kirgizskiy nauchno-issledovatel'skiy institut zhivotnovodstva
i veterinarii.

TRET'YAKOVA, A.F.

Experience in the work of the diagnostic wards of the diphtheria department. Nauch.trudy Chetv.Mosk.gor.klin.bol'. no.1:47-56
'61. (MIRA 16:2)

1. Zamestitel' glavnogo vracha Moskovskoy gorodskoy klinicheskoy bol'nitsy No.4 (glavnyy vrach G.F. Papko, zav. otdelom ostrykh infektsiy prof. B.G. Shirvindt).
(MOSCOW—DIPHTHERIA—PREVENTION)

RUDESKAYA, I.R., kand.med.nauk; TRET'YAKOVA, A.F.

Analysis of work in a diagnostic ward of a children's hepatitis department. *Pediatrics* no.5:26-31 '61. (MIRA 14:5)

1. Iz infektsionnogo otdela (zav. -- prof. B.G. Shirvindt) Nauchno-issledovatel'skogo pediatricheskogo instituta Ministerstva zdravookhraneniya RSFSR (dir. -- doktor meditsinskikh nauk A.P. Chernikova) i Gorodskoy klinicheskoy bol'nitsy No.4 (glavnyy vrach G.F. Papko).

(HEPATITIS, INFECTIOUS)

AGANBEGYAN, A.G.; BELKIN, V.D.; BIRMAN, I.Ya.; KARAPETIAN, A.Kh.;
RIMASHEVSKAYA, N.N.; TRET'YAKOVA, A.F.

Production, distribution and use of national income in
the U.S.S.R. Nauka i zhizn' 29 no.12:26-27 D '62. (MIRA 16:3)
(Income)

VOGULKINA, T.E., dotsent; TRET'YAKOVA, A.I.

Use of prolactin in late stages of hypogalactia. Vop. okh. mat. i
det. 6 no.4:58-61.Ap '61. (MIRA 14:6)

1. Iz kafedry propedevtiki detskikh bolezney (zav. - dotsent T.E.
Vogulkina) Sverdlovskogo meditsinskogo instituta (dir. - prof.
A.F.Zverev).

(PROLACTIN)

(BREAST—DISEASES)

TRET'YAKOVA, A.N.

Comparative study of nitrogen-fixing blue-green algae,
isolated from various soils of the U.S.S.R. Mikrobiologiya
34 no.3:491-496 My-Je '65.

(MIRA 18:11)

1. Kirovskiy sel'skokhozyaystvennyy institut.

RUSSKEVICH, Nikolay Lukich; VARENIK, M.I., otv. red.; TRET'YAKOVA,
A.N., red.; TROFIMENKO, A.S., tekhn. red.

[Descriptive geometry] Nachertatel'naia geometriia. Khar'kov,
Izd-vo Khar'kovskogo gos. univ., im. A.M.Gor'kogo. 1961. 331 p.
(MIRA 15:3)

(Geometry, Descriptive)

ZINCHENKO, Nikolay Semenovitch; KALININ, V.I., prof., retsenzent [deceased];
TARANENKO, V.P., dotsent, retsenzent; SHESTOPALOV, V.P., dotsent,
retsenzent; CHERNYAYEV, L.K., kand. tekhn. nauk, ~~otv.~~ red.; TRET'YA-
KOVA, A.N., red.; ALEKSANDROVA, G.P., tekhn.red.

[Lecture course on electron optics] Kurs lektsii po elektronnoi
optike. Izd.2., ispr. i dop. Moskva, Izd-vo Khar'kovskogo gos.
univ. im. A.M.Gor'kogo, 1961. 361 p. (MIRA 14:9)
(Electron optics)

POGORELOV, Aleksey Vasil'yevich; BLANK, Ya.P., prof., otv. red.;
TRET'YAKOVA, A.N., red.; ALEKSANDROVA, G.P., tekhn. red.;
KURILOVA, T.M., red.; SMILYANSKAYA, T.M., tekhn. red.;
ALEKSANDROVA, G.P., tekhn. red.

[Cylindrical shells at supercritical deformations]TSilindricheskie obolochki pri zakriticheskikh deformatsiyakh. Khar'kov, Izd-vo Khar'kovskogo univ. Vol.1.[Axial compression]Osevoe szhatie. 1962. 51 p. Vol.2.[External pressure]Vneshnee davlenie. 1962. 60 p. Vol.3.[Torsion]Kruchenie. 1962. 71 p. (MIRA 16:1)
(Elastic plates and shells)

STENDER, Vladimir Vil'gel'movich, prof.; doktor tekhn. nauk. Prini-
mali uchastiye: KSENZHEK, Oktavian Stanislavovich, dots.,
kand. tekhn. nauk; RAZINA, Ninel' Fedorovna, dots., kand. tekhn.
nauk; SAGOYAN, Leonid Nikolayevich, dots., kand. tekhn. nauk;
SLUTSKIY, Iosif Zinov'yevich, dots., kand. tekhn.nauk; GALINKER,
I.S., prof., otv. red.; TRET'YAKOVA, A.N., red.; TROFIMENKO, A.S.,
tekhn. red.

[Applied electrochemistry] Prikladnaia elektrokhimia. Khar'kov,
Izd.-vo Khar'kovskogo gos.univ. im. A.M.Gor'kogo, 1961. 538 p.
(MIRA 15:6)

(Electrochemistry)

TUMARKIN, Mikhail Borisovich; IVANOV, N.L., otv. red.; TRET'YAKOVA, A.N.,
red.; TROFIMENKO, A.S., tekhn. red.

[Kinematic adjustment of feed mechanisms of machine tools] Kinema-
ticheskaya nastroyka tsepei podach metallovezhushchikh stankov.
Khar'kov, Izd-vo Khar'kovskogo univ., 1961. 185 p. (MIRA 15:7)
(Feed mechanisms) (Machine tools)

DUBINSKIY, G.P., dots., otv. red.; TRET'YAKOVA, A.N., red.; SEMASHKO,
Yu.Yu., tekhn. red.

[Materials of the Caucasian Expedition (under the program of the
International Geophysical Year)] Materialy Kavkazskoi ekspeditsii
(po programme Mezhdunarodnogo geofizicheskogo goda). Khar'kov,
Izd-vo Khar'kovskogo gos. univ. Vol.3. 1961. 439 p.
(MIRA 15:12)

1. Kharkov. Universytet. Kavkazskaya ekspeditsiya.
(Caucasus—Glaciers)

VALITOV, Rafkat Amirkhanovich; PALATOV, Konstantin Ivanovich;
CHERNYY, Arkadiy Yevlevich; TRET'YAKOVA, A.N., red.;
SMILYANSKAYA, T.M., tekhn. red.

[Methods for measuring the principal characteristics of
fluctuating signals] Metody izmereniia osnovnykh kharakteristik
fluktuatsionnykh signalov. Pod red. R.A.Valitova. Khar'kov,
Izd-vo Khar'kovskogo gos. univ. im. A.M.Gor'kogo, 1961. 140 p.
(MIRA 15:4)

(Radio measurements) (Radio--Testing)

UGINCHUS, Aleksandr Antonovich. prof., doktor tekhn. nauk; Prinsipal uchastnye ALESHKO, P.I., inzh., star. prep.; RAFALES-LAMARK, E.E., dots., kand. tekhn. nauk, retsenzent; TRET'YAKOVA, A.N., red.; ZADOROZHNYI, V.S., tekhn. red.

[Hydraulics and hydraulic machinery] Gidravlika i gidravlicheskie mashiny. Izd. 2., perer. i dop. Khar'kov, Izd-vo Khar'kovskogo gos. univ. im. A.M. Gor'kogo, 1960. 358 p. (MIRA 14:9)

1. Deystvitel'nyy chlen Akademii stroitel'stva i arkhitektury USSR (for Uginchus). 2. Khar'kovskiy politekhnicheskii institut im. V.I. Lenina (for Aleshko). (Hydraulics) (Hydraulic machinery)

DUBINSKIY, G.P., dotsent, otv.red.; TRET'YAKOVA, A.N., red.; TROFIMENKO,
A.S., tekhnred.

[Materials of the Caucasian Expedition under the program of the
International Geophysical Year] Materialy Kavkazskoi ekspe-
ditsii; po programme Mezhdunarodnogo geofizicheskogo goda. Khar'kov.
Vol.1. 1960. 363 p. (MIRA 14:6)

1. Kharkov. Universitet.
(Caucasus--Glaciological research)
(Caucasus--Meteorological research)

MALISHEVSKIY, Nikolay Georgiyevich; KONDRAT'YEV, Nikolay Ivanovich;
ALESHKO, Pavel Ivanovich; MALOVA, Nadezhda Mikhaylovna; TRET'YA-
KOVA, A.N., red.; TROPIMENKO, A.S., tekhn.red.

[Water-supply and sewerage pumps and pumping stations] Vodo-
provodnye i kanalizatsionnye nasosy i nasosnye stantsii. Pod
red. N.G.Malishhevskogo. Khar'kov, Izd-vo Khar'kovskogo gos.
univ. im. A.M.Gor'kogo, 1960. 394 p. (MIRA 14:5)
(Pumping stations)

TSVETKOV, V.T., prof., doktor tekhn.nauk; KRUSHEDOL'SKIY, G.I., kand.tekhn.
nauk, otv.red.; ~~TRET'YAKOVA, A.N.~~, red.; TROFIMENKO, A.S., tekhn.
red.

[Internal combustion engines; design and construction] Dvigatel
li vnutrennego sgoraniya; konstruktsiya i raschet. Izd.2.
Khar'kov, Izd-vo Khar'kovskogo gos.univ. im.A.M.Gor'kogo, 1960.
656 p.

(MIRA 14:5)

(Gas and oil engines--Design and construction)

TRISTYKH, N.N.
PINES, Boris Yakovlevich, professor; BUBLIK, A.I., dotsent, kandidat
fiziko-matematicheskikh nauk, otvetstvennyy redaktor; ~~TRET' YAKOVA,~~
~~A.N., redaktor izdatel'stva; TROPIMENKO, A.S., tekhnicheskii~~
~~redaktor~~

[Lectures on structural analysis] Lektsii po strukturnomu analizu.
Izd. 2-oe, perer. Khar'kov, Izd-vo Khar'kovskogo gos.univ. im.
A.M.Gor'kogo, 1957. 454 p. (MLRA 10:9)
(Crystallography)

AGRANOVICH, Zalman Samoylovich; MARCHENKO, Vladimir Aleksandrovich;
LANDKOF, N.S., dotsent, otv.red.; TRET'YAKOVA, A.N., red.;
TROFIMENKO, A.S., tekhn.red.

[Inverse problem of the theory of scattering] Obratnaya zadacha
teorii rasseianiia. Khar'kov, Izd-vo Khar'kovskogo gos.univ.,
1960. 267 p. (MIRA 14:3)
(Scattering (Physics)) (Operators (Mathematics))
(Wave mechanics)

POLULYAKH, Konstantin Stepanovich: LEYKIN, A.Ya., retsenzent; SKORIK, Ye.T., retsenzent; SHVESHNIY, B.I., retsenzent; TSARENKO, V.T., otv. red.; TRET'YAKOVA, A.N., red.; ALEKSANDROVA, G.P., tekhn. red.

[Electronic resonance measuring devices] Elektronnye rezonansnye izmeritel'nye pribory. Khar'kov, Izd-vo Khar'kovskogo gos. univ. im. A.M. Gor'kogo, 1961. 138 p. (MIRA 14:12)
(Electronic measurements) (Radio measurements)

SKIYAR, Mikhail Grigor'yevich; TYUTYUNNIKOV, Yuriy Borisovich;
ARONOV, S.G., doktor tekhn. nauk, retsenzent; NESTERENKO,
L.L., prof., red.; TRET'YAKOVA, A.N., red.; TROFIMENKO,
A.S., tekhn. red.

[Laboratory work in the chemistry of solid fossil fuels]
Laboratornaya praktika po khimii tverdykh goriuchikh isko-
paemykh. Khar'kov, Izd-vo Khar'kovskogo univ., 1962. 194 p.
(MIRA 16:12)

(Chemistry, Technical--Laboratory manuals)

PINES, Boris Yakovlevich; SMUSHKOV, I.V., kand. fiz.-mat. nauk, otv. red.;
TRIST'YAKOVA, A.N., red.; ALEKSANDROVA, G.P., tekhn. red.

[Physical metallurgy] Ocherki po metallofizike. Khar'kov, Izd-vo
Khar'kovskogo gos.univ. im. A.M.Gor'kogo, 1961. 314 p.
(MIRA 14:12)

(Physical metallurgy)

NIKITIN, Vladimir Nikolayevich, prof.; MAKHIN'KO, V.I., dotsent, otv.red.;
TRET'YAKOVA, A.N., red.; CHERNYSHENKO, Ya.T., tekhn.red.

[Russian works on the physiology, biochemistry, and morphology
of aging; historical essay and bibliography] Otechestvennye ra-
boty po vozrastnoi fiziologii, biokhimi i morfologii; istori-
cheskii ocherk i bibliografiia. Khar'kov, Izd-vo Khar'kovskogo
gos.univ.im. A.M.Gor'kogo, 1958. 199 p. (MIRA 13:4)

1. Chlen-korrespondent AN USSR (for Nikitin).
(BIBLIOGRAPHY--AGING)

ZARITSKIY, Petr Vasil'yevich; LOGVINENKO, N.V., prof., doktor geologo-mineralog.nauk, otv.red.; TRET'YAKOVA, A.N., red.; CHURIIY, Ye.V., tekhred.

[Concretions in coal-bearing deposits of the Donets Basin]
Konkretsai uglenosnykh otlozhenii Donetskogo basseina. Khar'kov,
Izd-vo Khar'kovskogo gos.univ. im. A.M.Gor'kogo, 1959. 239 p.
(MIRA 13:6)

(Donets Basin--Concretions)

BARABASHOV, Nikolay Pavlovich; KOVAL', Ivan Kirillovich; CHEKIRDA, A.T.,
otv.red.; TRETYAKOVA, A.N., red.; VAYNBERG, D.A., red.;
TROFIMENKO, A.S., tekhred.

[Photographic photometry with light filters of Mars during the
favorable opposition in 1956] Fotograficheskaya fotometriya
Marsa so svetofil'trami vo vremya velikogo protivostoiانيا v
1956 g. Khar'kov, Izd-vo Khar'kovskogo gos.univ. im. A.M.Gor'-
kogo, 1959. 529 p. (MIRA 13:5)
(Mars (Planet)--Opposition, 1956)
(Photometry, Astronomical)